

COMMERCIAL GAS DETECTION

301AP Annunciator Panel

301AP Annunciator Panel

Overview



Feedback

Remote annunciator provides an efficient interface between gas transmitters and external alarming.

Product Overview:

The 301AP is the latest generation of remote annunciator panels, incorporating all (previously existing) functionalities, such as the easy to read visual indicators, multiple alarm level displays and fault alarms. The 301AP displays readings from the 301C controller with no user programming required. The 301AP also has 3 relays that can be activated from the 301C, according to specifications configured on the controller.

The 301AP offers the following key features:

- Three relay outputs, for added functionality
- Audible alarm
- Easy-to-read status indicators (LEDs) and LCD display
- Robust RS-485 Modbus communication interface.

Features & Benefits:

- 3 DPDT relay outputs for added functionality
- 65dbA audible alarm allowing users to “listen” in
- Visual status indicators/backlit LCD display

Quick Specs:

- Power requirement: 17 – 24 VAC, 24-38 VDC
- Operating temperature range: 0 to 40°C (32°F to 104°F)
- Operating humidity range: 0 to 95% RH, non-condensing

Specifications

BRAND

Brand

- Honeywell

CATEGORY

Sub-Category

- Gas Detection Controllers

Product Number

SKU	DESCRIPTION
301-AP	Annunciator Panel: 17-24V AC; 24-38V DC; 0 to 40C; 0 to 95% RH; 65 dbA Audio Alarm

Feedback

Alternative Products



[301C Controller](#)



[Touchpoint™ Plus Controller](#)

Honeywell

Safety and Productivity
Solutions
855 S Mint St
Charlotte, NC 28202
800-582-4263

301AP Annunciator Panel

© 2023 Honeywell International Inc.
All rights reserved.



This document was generated on 2023-10-04 12:27:51 PM (YYYY-MM-DD, HH:mm:ss). Subject to change without notice.