



### **K7**

The "K7" high-pressure cleaner with water-cooled motor is ideal for frequent use and removing stubborn dirt, e.g. on paths, in swimming pools, on bicycles or large vehicles.













#### 1 Outstanding performance

■ The state-of-the-art water-cooled motor will impress you with its high level of performance.

#### **3 Quick Connect**

The high-pressure hose is easy to manoeuvre, clicking quickly in and out of the device and spray gun. This saves time and effort.

#### 2 Plug 'n' Clean

Quick, easy, convenient - thanks to Plug ,n' Clean, the detergent can be replaced with just one simple movement.

#### 4 Hooked on tidiness

Generous cable hook for the tidy storage of the cable directly on the device.

# **TECHNICAL DATA AND EQUIPMENT**





#### K 7

- Quick Connect: the high-pressure hose is easy to handle, clicking quickly in and out of the device and trigger gun
- Integrated suction mechanism for detergents

Technical data		
Order no.		1.168-504.0
EAN code		4039784839946
Pressure	bar / MPa	20-160 / 2-16
Flow rate	I/h	600
Max. inlet temperature	°C	max. 60
Connection load	kW	2.8
Weight without accessories	kg	18.9
Dimensions (L × W × H)	mm	404 × 461 × 968
Current type	V / Hz	230 / 50

Equipment	
High-pressure gun	Standard Quick Connect
Vario Power Jet	
High-pressure hose m	10 / Rubber
Quick Connect on the side of the device	
Detergent application via	Plug 'n' Clean system
Water suction	
Integrated water filter	I.
A3/4" garden hose connector adapter	
Detergent	Universal Cleaner, 1 l
Water-cooled motor	•

■ Included in the scope of supply.































							_
		Order no.		Pri	ice	Description	
Spray lances							
VP 180 vario power jet for K 7	1	2.642-726.0				Vario power spray lance for pressure washers in class K 7.	
						Continuously adjustable from low-pressure detergent jet to	
						high-pressure jet, simply by turning the spray lance.	
DB 180 dirt blaster for K 7	2	2.642-729.0				Dirt blaster with powerful top rotary nozzle for Kärcher	.   _
						pressure washers in class K 7. For particularly stubborn dir like that on mossy or weathered surfaces.	t
Telescopic spray lance	3	2.642-347.0				Telescopic spray lance (1.20 m - 4 m) for easy cleaning of	
relescopie spray lance	3	2.012 3 17.0				difficult to reach areas. With shoulder strap, bayonet con-	
						nection and integrated, ergonomically adjustable trigger gu	n. 🗀
						Weight: ca. 2 kg	
Splash guard	4	2.642-706.0				Transparent splash guard for class K 2 to K 7 Kärcher pres-	
						sure washers protects the operator and surrounding area	
Angled spray lance	5	2.638-817.0				from spray water. Ideal for cleaning corners and edges.  Extra-long angled spray lance (about 1 m) for easy cleaning	,
Aligieu spray latice	Э	2.030-017.0				of difficult to reach areas, e.g. roof gutters or vehicle under	·
						bodies.	
1-step lance extension	6	2.643-240.0				Extends spray lance by 0.4 m. For effective cleaning of	
						difficult to reach areas. Suitable for all Kärcher accessories.	
VP 180 S vario power jet short	7	2.643-254.0				VP 180 S: The vario power jet short 360° with infinitely	
360° for K 2-K 7						variable pressure regulation and adjustable 360° joint is	
						ideal for cleaning areas that are difficult to reach.	
MP 180 multi power jet for K 6-K 7	8	2.643-238.0				Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure	П
/						fan jet. The suitable jet can be selected by simply twisting.	
3-step lance extension	9	2.639-722.0				3-stage lance extension set with four aluminium lances for	
						difficult to reach areas. Variable extension to 90 cm, 1.30 r	n 🗆
						and 1.70 m.	
Splash guard	10	2.640-916.0				Splash guard for dirt blasterProtects against splash back	_
						when cleaning corners and edges. Fits all Kärcher dirt blast	-   🏻
VP 160, Vario Power Jet for K 5-K	11	2.643-242.0				ers (except 4.763-184).  Vario-Power spray lance: spray lance with infinitely variab	اما
7	11	2.045-242.0				pressure control from low-pressure detergent jet to	
,						high-pressure jet.	-
DB 160, Dirt Blaster for K 5-K 7	12	2.643-243.0				Dirt blaster with powerful rotor nozzle (rotating pencil jet)	
						ideal for removing stubborn dirt. Ideal for moss covered or	
						weathered surfaces.	
Trigger guns		1				I	
G 180 Q Quick Connect trigger gun	13	2.642-889.0				The new G 180 Q spray gun with Quick Connect is 13 cm	
						longer and is now even more convenient to use and more ergonomic when cleaning with Kärcher pressure washers.	-
Surface cleaners						ergonomic when cleaning with Narcher pressure washers.	
T 7 Plus T-Racer surface cleaner	14	2.644-074.0				Power nozzle for ultimate cleaning power, even in corners	
John March Creaner						and along edges: The T 7 Plus T-Racer surface cleaner with	
						rinse function – for effective and splash-free cleaning of	
						large areas.	
T 5 T-Racer surface cleaner	15	2.644-084.0				Thorough and splash-free cleaning over large areas: The T	5
						T-Racer surface cleaner. The adjustable nozzle position	
						means the surface cleaner can be used to clean hard and delicate surfaces alike.	
						uencate suridces dire.	

<sup>■</sup> Included in the scope of supply. 

Available accessories.































						_
		Order no.		Price	Description	
PS 30 power scrubber surface	16	2.644-123.0			The PS 30 power scrubber, with its three integrated	Т
cleaner					high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and	4 -
					edges. Includes integrated squeegee blade to remove the	1
					dirty water.	
Replacement nozzles accessories	17	2.643-335.0			The high-quality replacement nozzles guarantee easy nozzle	
for T 350					changing and are suitable for the T-Racer T 300 / T 350 surface cleaners for the pressure washer ranges K 2 to K 7.	
Replacement nozzle for T-Racer	18	2.640-642.0			High-quality, yellow replacement nozzles for easy replace-	T
					ment of T-Racer nozzles. Suitable for replacing nozzles for	
T-Racer T 250 Surface Cleaner	19	2.642-194.0			the K6 and K7 device classes.  T 250 T-Racer for spray-free surface cleaning. With extra	+
1 Nacel 1 230 Sulface cleaner	15	2.042 154.0			handle for cleaning vertical surfaces. The accessories are	
					suitable for Kärcher Home&Garden pressure washers, class-	
T 450 T-Racer surface cleaner	20	26422440			es K 2 - K 7.	+
1 450 1-Racer surrace cleaner	20	2.643-214.0			Cleans large surfaces without splashing: T-Racer surface cleaner T 450. Extra power nozzle for corners and edges,	_
					handle for vertical cleaning, protection grid for gravel sur-	
					faces, cleaning pressure adjustment.	╄
PS 40 power scrubber surface cleaner	21	2.643-245.0			Power Scrubber PS 40 with 3 integrated high-pressure nozzles. Eliminates stubborn dirt from various surfaces	
Cledilei					powerfully, reliably and in a time-saving manner. Ideal for	
					stairs and edges. Includes integrated squeegee blade to	
T 550 T-Racer surface cleaner	22	2.643-251.0			remove the dirty water.	+
1 550 1-Racer Surface cleaner	22	2.043-251.0			T-Racer surface cleaner T 550 for splash-free cleaning of large surfaces. With detergent application system, power	_
					nozzle for corners/edges, protection grid for gravel surfaces	5,
					pressure adjustment and handle.	-
T 350 T-Racer surface cleaner	23	2.643-252.0			With the T-Racer surface cleaner T 350, large surfaces can be cleaned without splashing. Continuous pressure adjust-	
					ment for hard and sensitive surfaces. Handle for vertical	
					cleaning.	Ļ
Replacement nozzles accessories	24	2.643-338.0			High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter	
					cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for K	
					2 to K 5.	L
Brushes		l			lusus and a second	
WB 150 power brush	25	2.643-237.0			WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and	
					manual brush pressure saves energy, water and up to 30%	
					time.	Ļ
WB 120 rotating wash brush	26	2.644-060.0			Rotating wash brush with interchangeable attachment for	
					cleaning all smooth surfaces such as paint, glass or plastic.  Ouick and easy attachment changing thanks to the integrat-	
					ed release lever.	
WB 120 rotating wash brush Car &	27	2.644-129.0			Gently cleans cars and motorbikes: The rotating wash brush	
Bike					with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	
WB 60 soft surface wash brush	28	2.643-233.0			Soft brush for cleaning large areas, e.g. cars, caravans, boats	5,
					conservatories or roller shutters). Working width of 248 mm	ו
Wheel washing hrush	20	2.643-234.0			ensures good coverage.  Wheel washing brush for effective cleaning also in difficult	+
Wheel washing brush	29	2.045-234.0			to reach areas. Uniform 360° water distribution for a perfec	
					cleaning result.	































						_
		Order no.		Price	Description	
Garden hose adapter	30	2.640-732.0			Adapter for garden hose connection – suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system.	
Soft universal brush	31	2.640-589.0			Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad.	111
Soft surface brush	32	2.640-590.0			Soft brush for cleaning large areas, e.g. cars, caravans, boats conservatories or roller shutters). Working width of 248 mm ensures good coverage.	,
Rotary wash brush with joint	33	2.640-907.0			Rotating washing brush with joint for cleaning all smooth surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas.	
WB 100 rotating wash brush	34	2.643-236.0			Rotating wash brush with joint for cleaning all smooth surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas.	
Soft Wash Brush WB 50	35	2.643-246.0			Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad.	
Wash brush	36	6.903-276.0			Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.	
High-pressure replacement hose: s	ystem	from 2009 with Quick (	Connect system		, , , , , , , , , , , , , , , , , , , ,	
H 9 Q high-pressure hose Quick Connect	37	2.641-721.0			9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling, 180 bar, 60°C.	
High-Pressure replacement hose ki	t syste	m from 1992				
Extension hose adapter kit	38	2.643-037.0			Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	
High-pressure extension hose: Syst	em for	r devices with Quick Co	nnect system			
XH 10 Q Quick Connect extension hose	39	2.641-710.0			High-pressure hose extension for greater flexibility. 10 m robust DN 8 quality hose for excellent durability. For K 3 to K 7 devices from 2008 or later with Quick Connect adapter.	
XH 6 Q extension hose Quick Connect	40	2.641-709.0			High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	, 🗆
XH 10 QR extension hose Quick Connect rubber	41	2.641-708.0			High-pressure extension rubber hose for greater flexibility.  10 m high-quality hose, steel reinforced for durability. For K  3 to K 7 series from 2008 with Quick Connect adapter.  Connect between trigger gun and high-pressure hose.	
Pipe cleaning					_	
PC 20 roof gutter and pipe cleaning kit	42	2.642-240.0			The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	
PC 15 pipe cleaning kit	43	2.637-767.0			Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	
PC 7.5 pipe cleaning kit	44	2.637-729.0			Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	
Foam jet						
FJ 6 foam jet	45	2.643-147.0			FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	

























			1	T T		T.	_
		Order no.			Price	Description	
FJ 10 C Connect 'n' Clean foam jet + 3-in-1 Ultra Foam Cleaner	46	2.643-143.0				Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click.	
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	47	2.643-144.0				Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click.	
Foam nozzle, 0.3 litre	48	2.641-848.0				Foam nozzle with powerful foam effortlessly cleans all types of surfaces, e.g. car or motorcycle paint, glass or stone, 0.3 litre container.	
FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1	49	2.643-145.0				Stone cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click.	
Accessory kits							
Accessory Kit Bike Cleaning	50	2.643-551.0				Cleaning and care to perfection! The accessories kit for motorbike and bicycle cleaning includes 1 wheel washing brush, 1 universal wash brush, 1 litre of Car Shampoo 3-in-1 and 1 VPS 160 S.	
Accessories set for wood cleaning	51	2.643-553.0				Accessories kit for wood cleaning. With Power scrubber PS 40, Wood Cleaner 3-in-1 and Connect 'n' Clean FJ 10 C foam jet. Ideal for cleaning and maintaining wood and stone surfaces.	
Miscellaneous						1,000	
SH 5 suction hose	52	2.643-100.0				Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	
Sand and wet-blasting kit	53	2.638-792.0				Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	
Vario joint	54	2.640-733.0				Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	
Water filter	55	4.730-059.0				Water filter protects pressure washer pumps against dirt particles from dirty water.	
O-ring set	56	2.640-729.0				Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	
Organiser	57	2.641-630.0				Kärcher organiser, the practical wall-mounted storage system for Kärcher accessories. With two modules for flexible mounting, Ideal for protecting wash brushes and bristles from bending.	
Underbody cleaner	58	2.642-561.0				Highly effective chassis cleaner for removing dirt, mud, sludge, sand and encrusted salt. With care nozzle for applying chassis wax (incl. 250 ml free tester).	
Suction hose ecologic	59	2.642-743.0				The suction hose from the ecologic range is suitable for all k 3 to K 7 devices and makes it possible to draw water from alternative sources such as water butts and barrels. The hose is free of phthalates and PVC, up to 90% recyclable and also uses highly eco-friendly packaging.	

<sup>■</sup> Included in the scope of supply. 

Available accessories.

























Doption for soray lances. Fully equipped.								
Hose storage and hose trolley Premium Hose Reel HR 7.315 Kit 5/8" 2 2.645-165.0   Watering station with detachable hose reel, storage option for nazzles and sprinklers, large storage box and fixing option for nazzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.  Hose Trolley HT 3.420 Kit 5/8" 2 2.645-167.0   Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-azving storage. Premium Hose Reel HR 7.315 Kit 1/2"   Savesment for spray storage and sprinklers, large storage box and fixing option for spray larges.  Premium Hose Reel HR 7.315 Kit 1/2"   Savesment for spray storage for nazzles and sprinklers, large storage box and fixing option for spray larges.  Hose set for pressure washers 4 2.645-156.0   Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex* hose (3/4*), (3/4 tap adaptor, universal hose connection and universal connection with Aqua 5top. Universal hose connection and universal connection with Aqua 5top. Universal hose set for water supply (pressure washer, garden watering). With 10m PrimoFlex* hose (3/4*), hose connector with adventure and without Aqua 5top, universal connection for tags withward without Aqua 5top, universal connection for tags withward without Aqua 5top and without Aqua 5top and physiologically safewarder hose with pressure-proof coating. Bursting pressure 24 bar.  PrimoFlex* hose 3/4* - 25 m 7 2.645-142.0   PrimoFlex* hose 3/4*, 25 m long, With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure 24 bar.  Hose Performance Plus 3/4*-25m 9 2.645-320.0   PrimoFlex* hose coupling Plus with Aqua 5top in ergonomic design for comfortable handling. Compatible with all click systems.  Universal hose coupling Plus with Aqua 5top in ergonomic design for comfortable handling. Compatible with all click systems.								
Premium Hose Reel HR 7.315 Kit 5/8° 2 2.645-165.0			Order no.			Price	Description	
For nozzies and sprinklers, large storage box and fixing option for spray lances. Fully equipped	Hose storage and hose trolley				•			
angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.  Premium Hose Reel HR 7.315 Kit 1/2" 3 2.645-164.0		1	2.645-165.0				for nozzles and sprinklers, large storage box and fixing	
Hoses Hose set for pressure washers  4 2.645-156.0 Hose set for high-pressure cleaning and garden watering With 10 m PrimoFlex* hose (3/4*), C3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop. Water supply hose set  5 2.645-258.0 Hose set for water supply (pressure washer, garden watering), With 10 m PrimoFlex* hose (6/4*), Lose connector with Aqua Stop, universal connection for taps with- out thread.  PrimoFlex* hose 1/2* - 20 m  6 2.645-138.0 The robust PrimoFlex* (1/2*) garden hose is a 20m long, temperature-resistant (from -20 to 65*C) and physiologically safe water hose with pressure-proof coating, Bursting pres- sure: 24 bar.  PrimoFlex* hose 3/4* - 25 m  7 2.645-142.0 PrimoFlex* and the primoFlex* quality garden hose (3/4*). 25 m long, With pressure-resistant woven reinforcement. Contains no sub- stances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.  Hose Performance Plus 3/4* - 25 m  9 2.645-322.0 Performance Premium hose, 1/2* 20 m  Hose connection systems  Universal hose coupling Plus with 3 12 2.645-193.0 Universal hose coupling plus with soft plastic recessed grips for comfortable handling, Compatible with all click systems.  Universal Hose Connector with Aqua Stop Universal Hose connector with Aqua Stop in ergonomic design for comfortable handling. Universal hose connector with Aqua Stop in ergonomic design for comfortable handling. Universal hose connector with Aqua Stop in ergonomic design for comfortable handling. Universal hose connector with Aqua Stop in ergonomic design for comfortable handling. Universal hose connector with Aqua Stop in ergonomic design for comfortable handling. Universal hose connector with Aqua Stop in ergonomic design for comfortable handling. Universal hose connector with Aqua Stop in ergonomic design for comfortable handling. Universal hose connector with Aqua Stop i	Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0				angled hose connection, freewheeling crank handle and	
Hose set for pressure washers  4 2.645-156.0  Water supply hose set  5 2.645-258.0  Water supply hose set  5 2.645-258.0  Water supply hose set  5 2.645-258.0  Water supply hose set  6 2.645-138.0  PrimoFlex* hose 1/2* - 20 m  6 2.645-138.0  PrimoFlex* hose 3/4* - 25 m  7 2.645-142.0  PrimoFlex* hose 3/4* - 25 m  7 2.645-138.0  PrimoFlex* hose 3/4* - 25 m  7 2.645-318.0  PrimoFlex* hose 3/4* - 25 m  PrimoFlex* hose 3/4		3	2.645-164.0				storage for nozzles and sprinklers, large storage box and	
With 10m PrimoFlex* hose (3/4*), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.  Water supply hose set  5  2.645-258.0  Hose set for water supply (pressure washer, garden watering). With 10m PrimoFlex* hose (½*), hose connector with and without Aqua Stop, universal connection for taps without thread.  PrimoFlex* hose 1/2* - 20 m  6  2.645-138.0  The robust PrimoFlex* (1/2*) garden hose is a 20m long, temperature-resistant (from -20 to 65*C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.  PrimoFlex* hose 3/4* - 25 m  7  2.645-142.0  PrimoFlex* hose 3/4* - 25 m  7  2.645-142.0  PrimoFlex* hose 3/4* - 25 m  PrimoFlex* apair to the suith pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.  Hose Performance Plus 1/2* - 20m  Hose Performance Plus 3/4* - 25m  9  2.645-322.0  Performance Premium hose, 1/2* - 20 m  Hose connection systems  Universal hose coupling Plus with Aqua Stop  11  2.645-193.0  Universal hose coupling Plus with Aqua Stop  Universal hose connector with Aqua Stop  Universal hose connector with Aqua Stop in ergonomic design for comfortable handling. Compatible with all click systems.  Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.  Universal hose connector in ergonomic design for comfortable connector in ergonomic design for comfo	Hoses							
ingl. With 10 m PrimoFlex* hose (x*7), hose connector with and without Aqua Stop, universal connection for taps without thread.  PrimoFlex* hose 1/2" - 20 m  6	Hose set for pressure washers	4	2.645-156.0				With 10m PrimoFlex* hose (3/4"), G3/4 tap adaptor, univer	
temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.  PrimoFlex* hose 3/4" - 25 m  7  2.645-142.0  PrimoFlex* quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.  Hose Performance Plus 1/2" -20m 8 2.645-318.0  Hose Performance Plus 3/4" -25 m 9 2.645-322.0  Performance Premium hose, 1/2" 10 2.645-324.0  -20 m  Hose connection systems  Universal hose coupling Plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.  Universal Hose Connector with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.  Universal Hose Connector with Aqua Stop in ergonomic design for comfortable handling. Connector with Aqua Stop in ergonomic design for comfortable handling. Connector in ergonomic design for comfortable handling.	Water supply hose set	5	2.645-258.0				ing). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, universal connection for taps with-	
pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.  Hose Performance Plus 1/2" -20m 8 2.645-318.0   Performance Plus 3/4" -25m 9 2.645-322.0   Performance Premium hose, 1/2" 10 2.645-324.0   -20 m	PrimoFlex® hose 1/2" - 20 m	6	2.645-138.0				temperature-resistant (from -20 to 65°C) and physiologicall safe water hose with pressure-proof coating. Bursting pres-	-
Hose Performance Plus 1/2" -20m 8 2.645-318.0 9 2.645-322.0 Performance Premium hose, 1/2" 10 2.645-324.0 9 2.645-	PrimoFlex* hose 3/4" - 25 m	7	2.645-142.0				pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24	
Performance Premium hose, 1/2" 10 2.645-324.0  Hose connection systems  Universal hose coupling Plus 11 2.645-193.0 Universal hose coupling Plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.  Universal hose coupling Plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.  Universal Hose Connector with Aqua Stop in ergonomic design for comfortable handling.  Universal hose connector in ergonomic design for comfortable handling.  Universal hose connector in ergonomic design for comfortable handling.	Hose Performance Plus 1/2" -20m	8	2.645-318.0					
-20 m	Hose Performance Plus 3/4" -25m	9	2.645-322.0					
Universal hose coupling Plus with Aqua Stop Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.  Universal hose coupling Plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with Aqua Stop universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.  Universal Hose Connector with Aqua Stop in ergonomic design for comfortable handling.  Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.  Universal hose connector in ergonomic design for comfortable handling.		10	2.645-324.0					
for comfortable handling. Compatible with all click systems.  Universal hose coupling Plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.  Universal Hose Connector with Aqua Stop in ergonomic design for comfortable handling.  Universal Hose Connector with Aqua Stop in ergonomic design for comfortable handling.  Universal Hose Connector 14 2.645-191.0  Universal hose connector in ergonomic design for comfortable handling.	Hose connection systems							
Universal hose coupling Plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.  Universal Hose Connector with Aqua Stop in ergonomic design for comfortable handling.  Universal Hose Connector with Aqua Stop in ergonomic design for comfortable handling.  Universal Hose Connector in ergonomic design for comfortable handling.	Universal hose coupling Plus	11	2.645-193.0					
Aqua Stop design for comfortable handling.  Universal Hose Connector 14 2.645-191.0 Universal hose connector in ergonomic design for comforta-		12	2.645-194.0				Universal hose coupling plus with Aqua Stop and soft plasti recessed grips for comfortable handling. Compatible with al	С
Universal Hose Connector 14 2.645-191.0 Universal hose connector in ergonomic design for comforta-		13	2.645-192.0				Universal hose connector with Aqua Stop in ergonomic	
ble handling.	_ · _ ·	14	2.645-191.0				Universal hose connector in ergonomic design for comforta	- 0

<sup>■</sup> Included in the scope of supply. 

Available accessories.



Contact: +971507924960

Email: sales@industrytechstore.com Website: www.Industrytechstore.com