Product datasheet

Specifications



voltage release - iMN - tripping unit - 48 VAC

A9A26961

Main

range of product	Acti9	
Product or component type	Undervoltage release	
Device short name	iMN	
[Uc] control circuit voltage	48 V AC 50/60 Hz 48 V DC	
Control type	Standard	
9 mm pitches	2	

Complementary

Range compatibility	Acti9 iC65 Acti9 ARA Acti9 iDPN Vigi Acti9 iID Acti9 iSW-NA Acti9 RCA double terminals miniature circuit breaker Acti9 iDPN (China version) Acti9 iC60 Acti9 iC40	
Local signalling	Action indicator	
Mounting mode	Clip-on	
Mounting support	DIN rail	
Comb busbar and distribution block compatibility	Top and bottom: YES	
Width	18 mm	
Colour	White	
Connections - terminals	Clamp terminal - 1 cable(s) 9 mm² - rigid Clamp terminal - 2 cable(s) 2.8 mm² - rigid Clamp terminal - 1 cable(s) 7 mm² - flexible Clamp terminal - 2 cable(s) 2.8 mm² - flexible with cable end	
Tightening torque	1 N.m	
Compatibility code	IMN	

Environment

Standards	EN/IEC 60947-1	
Tropicalisation	2 conforming to EN/IEC 60947-5-1	
Relative humidity	95 % at 55 °C	
Ambient air temperature for operation	-3570 °C	
Ambient air temperature for storage	-4085 °C	

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

8 Feb 2025 Life Is On Schneider 1

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8 cm
Package 1 Width	3 cm
Package 1 Length	9.4 cm
Package 1 Weight	79 g
Unit Type of Package 2	BB1
Number of Units in Package 2	8
Package 2 Height	8.7 cm
Package 2 Width	10 cm
Package 2 Length	26.7 cm
Package 2 Weight	691 g
Unit Type of Package 3	S03
Number of Units in Package 3	72
Package 3 Height	30 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	6.725 kg

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
SCIP Number	C019b20e-e2a4-4fe7-afac-47a72d3f1e0f
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Take-back	No



