Product datasheet

Specifications



MX Shunt trip 48Vac 48Vdc

A9N26477

Main

range of product	Acti9
Product or component type	Shunt trip release
Device short name	MX
[Uc] control circuit voltage	48 V AC 50/60 Hz 48 V DC
9 mm pitches	2

Complementary

Range compatibility	Acti9 iDPN Acti9 C120 Acti9 C40 Acti9 C60H-DC Acti9 C60NA-DC Acti9 C60PV-DC Acti9 DPN Vigi Acti9 DT40 Acti9 DT60 Acti9 ID C40 Acti9 IDC Acti9 ITG40 Acti9 ID Acti9 ID Acti9 SW60-DC	
Local signalling	Action indicator	
Mounting mode	Fixed	
Mounting support	35 mm symmetrical DIN rail	
Comb busbar and distribution block compatibility	Top: YES	
Height	82.5 mm	
Width	18 mm	
Depth	73.5 mm	
Product weight	60 g	
Colour	White	
Connections - terminals	Screw clamp terminal (bottom) - 2 cable(s) 1.5 mm² - flexible Screw clamp terminal (bottom) - 2 cable(s) 1.5 mm² - flexible with ferrule Screw clamp terminal (bottom) - 1 cable(s) 0.52.5 mm² - rigid	
Wire stripping length	9 mm for bottom connection	
Tightening torque	1 N.m bottom	
Compatibility code	MX	

Environment

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Standards	EN/IEC 60947-1	
Product certifications	ASEFA KEMA LCIE ASTA	
Tropicalisation	2 conforming to EN/IEC 60947-5-1	
Relative humidity	95 % at 55 °C	
Ambient air temperature for operation	-2550 °C	
Ambient air temperature for storage	-4085 °C	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.8 cm
Package 1 Width	7.9 cm
Package 1 Length	9.2 cm
Package 1 Weight	72 g
Unit Type of Package 2	BB1
Number of Units in Package 2	8
Package 2 Height	8.5 cm
Package 2 Width	9.8 cm
Package 2 Length	26.5 cm
Package 2 Weight	639 g
Unit Type of Package 3	S03
Number of Units in Package 3	72
Package 3 Height	30 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	6.052 kg

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Take-back	No

Contact: +971507924960

Email: sales@industrytechstore.com Website: www.industrytechstore.com

