



K 3 *AE

The K3 pressure washer is perfect for occasional use and is the perfect tool for removing light soiling on bicycles, garden fences, motorcycles, etc.





K 3 *AE

- Tidy storage: the hose hook on the handle and cable hook on the side ensure optimum tidiness
- Spray lance storage
- Detergent tank

Technical data

Order no.	1.601-815.0	
EAN code	4039784839731	
Pressure	bar / MPa	20-120 / 2-12
Flow rate	l/h	380
Max. inlet temperature	°C	bis zu 40
Connection load	kW	1.6
Weight without accessories	kg	5.8
Dimensions (L x W x H)	mm	275 x 279 x 803
Current type	V / Hz	220-240 / 50-60

Equipment

Equipment	
High-pressure gun	Standard Quick Connect
Vario Power Jet	■
Dirt blaster	■
High-pressure hose	m6
Quick Connect on the side of the device	■
Detergent application via	Tank
Integrated water filter	■
A3/4" garden hose connector adapter	■
■ Included in the scope of supply.	



		Order no.						Price	Description	
Trigger guns										
G 160 Q, Quick Connect Trigger Gun	1	2.642-172.0							The premium trigger gun fitted with Quick Connect and soft grip inserts guarantees a high level of comfort for cleaning.	■
Surface cleaners										
T 5 T-Racer surface cleaner	2	2.644-084.0							Thorough and splash-free cleaning over large areas; The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	□
PS 30 power scrubber surface cleaner	3	2.644-123.0							The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	□
Replacement nozzles accessories for T 350	4	2.643-335.0							The high-quality replacement nozzles guarantee easy replacement of nozzles and are suitable for the T-Racer T 300 / T 350 surface cleaners for the pressure washer unit classes K 2 to K 7.	□
T-Racer T 250 Surface Cleaner	5	2.642-194.0							T 250 T-Racer for spray-free surface cleaning. With extra handle for cleaning vertical surfaces. The accessories are suitable for Kärcher Home&Garden pressure washers, classes K 2 - K 7.	□
Replacement nozzles accessories	6	2.643-338.0							High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for K 2 to K 5.	□
Brushes										
WB 150 power brush	7	2.643-237.0							WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	□
WB 120 rotating wash brush	8	2.644-060.0							Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	□
WB 120 rotating wash brush Car & Bike	9	2.644-129.0							Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	□
Spray lances										
Telescopic spray lance	10	2.642-347.0							Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	□
VP 145, Vario Power Jet for K 3-K 4	11	2.643-235.0							Vario-Power spray lance: spray lance with infinitely variable pressure control from low-pressure detergent jet to high-pressure jet.	□
DB 145, Dirt Blaster for K 2-K 4	12	2.643-244.0							Dirt blaster with powerful rotor nozzle (rotating pencil jet) ideal for removing stubborn dirt. Ideal for moss covered or weathered surfaces.	□
High-pressure replacement hose: With anti-twist system and Quick Connect system										
H 10 Q Flex PremiumFlex anti twist	13	2.643-585.0							Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges.	□

■ Included in the scope of supply. □ Available accessories.



		Order no.					Price	Description	
High-pressure replacement hose: system from 2009 with Quick Connect system									
H 9 Q high-pressure hose Quick Connect	14	2.641-721.0						9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	<input type="checkbox"/>
High-Pressure replacement hose kit system from 1992									
Extension hose adapter kit	15	2.643-037.0						Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	<input type="checkbox"/>
High-pressure extension hose: System for devices with Quick Connect system									
XH 10 Q Quick Connect extension hose	16	2.641-710.0						High-pressure hose extension for greater flexibility. 10 m robust DN 8 quality hose for excellent durability. For K 3 to K 7 devices from 2008 or later with Quick Connect adapter.	<input type="checkbox"/>
XH 6 Q extension hose Quick Connect	17	2.641-709.0						High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	<input type="checkbox"/>
XH 10 QR extension hose Quick Connect rubber	18	2.641-708.0						High-pressure extension rubber hose for greater flexibility. 10 m high-quality hose, steel reinforced for durability. For K 3 to K 7 series from 2008 with Quick Connect adapter. Connect between trigger gun and high-pressure hose.	<input type="checkbox"/>
Miscellaneous									
Sand and wet-blasting kit	19	2.638-792.0						Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	<input type="checkbox"/>
Organiser	20	2.641-630.0						Kärcher organiser, the practical wall-mounted storage system for Kärcher accessories. With two modules for flexible mounting. Ideal for protecting wash brushes and bristles from bending.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

K 3 *AE 1.601-815.0

KÄRCHER



		Order no.						Price	Description	
Hose storage and hose trolley										
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0							Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	<input type="checkbox"/>
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0							Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	<input type="checkbox"/>
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0							Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.	<input type="checkbox"/>
Hoses										
Hose set for pressure washers	4	2.645-156.0							Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex® hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.	<input type="checkbox"/>
Water supply hose set	5	2.645-258.0							Hose set for water supply (pressure washer, garden watering). With 10m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, universal connection for taps without thread.	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 20 m	6	2.645-138.0							The robust PrimoFlex® (1/2") garden hose is a 20m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 25 m	7	2.645-142.0							PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose Performance Plus 1/2" -20m	8	2.645-318.0								<input type="checkbox"/>
Hose Performance Plus 3/4" -25m	9	2.645-322.0								<input type="checkbox"/>
Performance Premium hose, 1/2" -20 m	10	2.645-324.0								<input type="checkbox"/>
Hose connection systems										
Universal hose coupling Plus	11	2.645-193.0							Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	12	2.645-194.0							Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal Hose Connector with Aqua Stop	13	2.645-192.0							Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.	<input type="checkbox"/>
Universal Hose Connector	14	2.645-191.0							Universal hose connector in ergonomic design for comfortable handling.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

K 3 *AE, 1.601-815.0, 2019-12-12