



# NT 611 MWF

Specially developed for the demanding requirements of fire brigades: The NT 611 Mwf wet and dry vacuum cleaner for eliminating large water volumes left behind by fire-fighting operations or flooding.



Order no. 1.146-601.0

- With wastewater pump
- IP68 connector, PRCD-K switch
- C-coupling with shut-off valve

Technical data		
EAN code		4039784722576
Supply voltage	V / Hz	220 - 240 / 50 - 60
Air flow	l/s	57
Vacuum	mbar / kPa	235 / 23.5
Container content	l	55
Rated input power	W	max. 2350
Power of disposal pump	W	800
Standard nominal width		ID 40
Cable length	m	10
Sound pressure level	dB(A)	63
Colour		anthracite
Weight without accessories	kg	23
Weight incl. packaging	kg	33.4
Dimensions (L × W × H)	mm	570 × 430 × 860

Equipment		
Suction hose	m	4 / Oil-resistant
Bend		Plastic
Suction tube	Piece(s) × mm	2 × 550 / Steel, chromed
Wet/dry floor nozzle	mm	370 / aluminium
Crevice nozzle		■
Coarse dirt filter		■
Filter bag	Piece(s)	1 / Paper
Drain hose (oil-resistant)		■
Automatic cut-out features at max. filling quality		■
PRCD-K personal protection		with IP68 plug
Container material		Plastic
Clip system for extending hose		■
Completely removable waste water pump		■
Parking brake		■
Sturdy bumper		■
Push handle		■
Protection class		I
Maintenance-free suction turbines	Piece(s)	1

■ Included in the scope of supply.



## Integrated coarse dirt filter for protecting the pump

- Protects the disposal pump against blockages from stones, leaves or pieces of wood.



## Integrated wastewater pump

- Large quantities of liquid can be disposed of via the disposal pump to allow continuous use.



## Integrated coarse dirt filter for protecting the turbine

- Protects the turbine from damage caused by coarse dirt and small parts.

## ACCESSORIES FOR NT 611 MWF

### 1.146-601.0



		Order no.	Description	
<b>FILTER T/ NT</b>				
<b>Coarse dirt filter for wet vacuuming</b>				
NT 611 Mwf coarse dirt filter to protect the disposal pump	1	4.423-160.0	Special coarse dirt filter for the NT 611 Mwf fire service vacuum cleaner from Kärcher. The filter protects the disposal pump from blockage with coarse dirt such as stones, leaves or pieces of wood.	■
Coarse dirt filter for wet and dry vacuum cleaners	2	6.904-287.0	Coarse dirt filter with perforated metal plate and foam seal to protect the turbines of most single-motor wet and dry vacuum cleaners from the Tact and Ap class from Kärcher.	■
<b>Wet filter bag</b>				
Wet filter bag	3	6.904-211.0	Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.	□
<b>BENDS</b>				
<b>Bend, plastic</b>				
Bend, NT, DN 40, plastic, clip 1.0 at hose end, cone at accessory end	4	5.031-904.0	DN 40 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end, and a cone connection at the accessory end.	■
<b>Bend, other</b>				
Bend, NT, DN 35, chrome-plated metal, cone at hose end, cone at accessory end	5	6.900-519.0	DN 35 chrome-plated metal bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.	□
Bend, NT, DN 35, stainless steel, cone at hose end, cone at accessory end	6	6.903-141.0	Robust DN 35 stainless steel bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.	□
Bend, NT, DN 40, chrome-plated metal, cone at hose end, cone at accessory end	7	6.900-276.0	DN 40 chrome-plated metal bend for wet and dry vacuum cleaners by Kärcher. The robust bend has a cone connection at both the hose end and the accessory end.	□
Bend, NT, DN 40, stainless steel, cone at hose end, cone at accessory end	8	6.902-079.0	Robust DN 40 stainless steel bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.	□
<b>SUCTION NOZZLES</b>				
<b>Floor nozzles</b>				
Wet and dry floor nozzle, aluminium, DN 40	9	6.903-018.0	All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	■
Wet/dry floor nozzle, aluminium, DN 40	10	6.906-383.0	All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
<b>Crevice nozzles</b>				
Crevice nozzle, NT, DN 40, plastic, 290 mm	11	6.903-033.0	Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	■
Crevice nozzle, NT, DN 40, metal, 400 mm	12	6.905-817.0	Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
<b>Car cleaning nozzles</b>				
Car nozzle, ID 40, 90 mm	13	6.900-952.0	For retrofitting older Kärcher wet and dry vacuum cleaner models with bends in DN 40: Flat angled, convenient, plastic car cleaning nozzle with a working width of approx. 90 mm.	□
<b>Wide nozzles</b>				
Squeegee nozzle	14	4.130-401.0	Metal, height-adjustable, brush strips, rubber blades (only for NT 55/1 Eco/Tact & NT 611 Eco/Tact versions)	□

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 611 MWF

### 1.146-601.0



		Order no.	Description	
<b>SUCTION NOZZLES</b>				
<b>Rubber suction tools, nose 45°</b>				
NT rubber suction nozzle, bevelled at 45°, DN 40	15	6.902-105.0	45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
<b>SUCTION TUBES</b>				
<b>Suction tubes, metal</b>				
Suction tube, NT, DN 40, 550 mm long, chrome-plated steel, suitable for: NT 50/1, NT 50/2, NT 65/2, NT 70/2, NT 75/2, NT 90/2, NT 611, NT 802 IV	16	6.900-275.0	The suction tube made of chrome-plated steel with DN 40 and 550 mm long is suitable for wet and dry vacuum cleaners from Kärcher.	<input checked="" type="checkbox"/>
Suction tube, NT, DN 35, 505 mm long, chrome-plated steel, suitable for: NT 25/1, NT 27/1, NT 30/1, NT 35/1, NT 40/1, NT 48/1, NT 50/1, NT 55/2, NT 65/2, NT 70/2, NT 70/3, NT 72/2, NT 75/1, NT 75/2, NT 611, NT 802 IV	17	6.900-514.0	The suction tube made of chrome-plated steel (DN 35, 505 mm long) is suitable for wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
<b>Suction tubes, stainless steel</b>				
Suction tube, NT, DN 40, 550 mm long, stainless steel, suitable for: AP 100/50, NT 55/2, NT 65/2, NT 70/2, NT 70/3, NT 72/2, NT 75/2, NT 561, NT 611, NT 802 IV	18	6.902-081.0	Suction tube made of high-quality stainless steel in nominal width DN 40 and 550 mm long for wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Suction tube, NT, DN 40, 1000 mm long, stainless steel, suitable for: NT 55/2, NT 65/2, NT 70/2, NT 70/3, NT 72/2, NT 75/2, NT 561, NT 611, NT 802 IV	19	6.906-531.0	The suction tube made of high-quality stainless steel (DN 40 and 1000 mm long) is suitable for wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 1.0 (compatible with vacuum cleaners up to model year 2016)</b>				
Suction hose with bend, NT, DN 40, length 4 m, clip 1.0, bayonet 1.0	20	4.440-678.0	The suction hose with bend in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input checked="" type="checkbox"/>
Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 1.0, bayonet 1.0	21	6.906-714.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input checked="" type="checkbox"/>
Suction hose, NT, DN 35, length 4 m, clip 1.0, bayonet 1.0	22	6.906-241.0	The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Repair kit for suction hoses DN 40 Clip 1.0	23	2.639-873.0	Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	<input type="checkbox"/>
Extension hose, NT, DN 40, length 2.5 m, clip 1.0, connecting adapter	24	6.906-344.0	The extension hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 10 m, clip 1.0, bayonet 1.0	25	6.906-279.0	The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 4 m, clip 1.0, bayonet 1.0	26	6.906-321.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 35, length 10 m, clip 1.0, bayonet 1.0	27	6.906-242.0	The suction hose in nominal width DN 35 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
<b>FILTER BAGS</b>				
<b>Paper filter bags</b>				
Paper filter bags, 5 Piece(s), NT 40, NT 45, NT 55, NT 561, NT 611	28	6.904-208.0	Premium paper filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 611 MWF

### 1.146-601.0



		Order no.	Description	
<b>FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>				
<b>Flat pleated filter, paper</b>				
Dry flat pleated filter	29	6.904-367.0	Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	<input type="checkbox"/>
<b>Flat pleated filter, PES</b>				
Wet & Dry flat pleated filter	30	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	<input type="checkbox"/>
<b>Flat pleated filter, PTFE</b>				
Ultimate flat pleated filter	31	6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	<input type="checkbox"/>
<b>CONNECTING SLEEVES</b>				
<b>Connection adapter C ID (clip to cone)</b>				
Electrically conductive DN 40 connection adapter for DN 35 accessories	32	5.407-109.0	Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Connection adapter C DN 40	33	5.407-111.0	C 40 hose connector for DN 40 accessory, electrically conductive.	<input type="checkbox"/>
<b>Reducing sleeves</b>				
Reducer adapter from DN 40 to DN 35	34	6.902-017.0	Reducer, enabling accessories (upholstery nozzle, crevice nozzle, etc.) with a DN 35 connection adapter to be connected to accessory parts (bend or suction tube) that have a DN 40 connection adapter.	<input type="checkbox"/>
NT reduction bushing with clip system for DN 40 suction hoses on accessory DN 35	35	5.407-113.0	Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.	<input type="checkbox"/>
Reducer from ID 35 to ID 32	36	6.902-072.0	Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
<b>OTHER ACCESSORIES NT</b>				
Adapter for NT hoses with bayonet connection 1.0	37	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.