Product datasheet

Specifications



plug in base, ComPact NSX 100/160/250, front/rear connected, 3 poles

LV429266

NЛ	aı	n
141	aı	

Mani	
Product or component type	Plug-in base
Accessory / separate part category	Mounting accessory
Range compatibility	ComPact ComPact NSX100 ComPact ComPact NSX160 ComPact ComPact NSX250 ComPact Compact NSX100 DC ComPact Compact NSX160 DC ComPact Compact NSX250 DC
Poles description	3P
Complementary	
Mounting mode	Plug-in
[In] rated current	250 A
Earth-leakage protection	Without
Packing Units	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.000 cm
Package 1 Width	14.700 cm
Package 1 Length	22.400 cm
Package 1 Weight	882.500 g
Unit Type of Package 2	S04
Number of Units in Package 2	14
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	13.464 kg
Unit Type of Package 3	P12
Number of Units in Package 3	56
Package 3 Height	50.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	65.856 kg

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

4 Jan 2025 Life Is On Schneider

Contractual warranty

Warranty


18 months





Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >



Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information

WEEE



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Halogen content performance

Product contains halogen above thresholds

Take-back

No



Contact: +971507924960

Email: sales@industrytechstore.com Website: www.industrytechstore.com

