

4000017572

## P-9003

### Substation for Headset




- ✓ Built-in call relay, max 8A
- ✓ Call lamp
- ✓ Plug for connection of headset or handheld microphone
- ✓ CALL button
- ✓ Complies with IEC 60945 Standard for Marine Equipment
- ✓ RMRS type approval


---

## Description

The P-9003 is a weatherproof Command Intercom System (Talk-Back) substation for industrial and noisy environments such as engine, steering gear and thruster rooms. It interfaces an external loudspeaker, external call signal device (flash/rotating light/hooter/siren) and a pluggable hearing protective headset. The unit is equipped with a CALL button for attention request and a call lamp for visual call indication.

## Technical Dimensions





# Specifications

## MECHANICAL

Dimensions (WxHxD)	130x124x52 mm (depth 72 mm including headset connector)
Weight	0.3 kg
Color	RAL 9005/9006
Material	PC / ABS blend, ABS
Mounting	Wall
Fixing	4 x M3 bolts
Access	Front
Cable Entry	Bottom/Top
Gland Type	3 x M20

## ELECTRICAL

Power Supply	(24 VDC) From central/line supply
Switchin current	8A
Termination	Screw terminals $\leq 1.5$ mm <sup>2</sup>
Compass Safe Distance	> 5 m

## ENVIRONMENTAL

Temperature	-25°C to +55°C (Storage: -25°C to +70°C)
Humidity	+93% (at +40°C)
Ingress Protection Rating	IP-44



## Used With



P-0005

Hearing-Protective Headset



VML-1520

Horn Loudspeaker 15W, 20  
OHM Waterproof



P-9017

Handheld microphone, noise  
cancelling



P-9117

Handheld Microphone



P-9217

Handheld Microphone