

Dräger Saver PP Emergency Escape Breathing Apparatus (EEBA)

The Saver PP constant flow Emergency Escape Breathing Apparatus allows safe, effective and uncomplicated escape from hazardous environments. Simple to put on and featuring automatic operation, this positive-pressure breathing device features an integrated full-face mask and can be used in conjunction with other safety equipment such as ear protectors or helmets.



WHEN TIME IS OF THE ESSENCE

In emergency situations, conditions can deteriorate rapidly. The air is suddenly filled with smoke or toxic fumes and rapid escape is the only available option. The Dräger Saver PP was designed for use by trained personnel. When opened, the Dräger Saver PP is automatically activated and begins feeding a continuous supply of compressed air. The Saver PP gives the wearer the precious additional time needed to exit the area safely.

HIGHLY VISIBLE, EVEN UNDER ADVERSE CONDITIONS

Available with either a soft bag or hard case, the Saver PP can be easily wall-mounted in strategic locations in potentially hazardous areas. Both black anti-static cases or bright orange bags feature photoluminescent panels and reflective stripes for enhanced visibility, even under low lighting conditions. The Saver PP is compact and lightweight and can be worn either across the chest or over the shoulder. Made from highly resistant materials, it is washable, flame retardant and allows water to drain freely.

UP TO 15 MINUTES OF LIFESAVING AIR

The Dräger Saver PP utilizes a simple, fail-safe reducer system with excellent flow characteristics, providing a consistent rate of air flow until the cylinder is completely empty. It can be equipped with cylinders which can hold either a 10 or 15 minute supply of air. The unit can easily be reset following a false alarm. Cylinders can be refilled without the need for special tools.

PANORAMA NOVA FULL-FACE MASK

The Panorama Nova full-face mask which comes with the Saver PP is another high-quality product manufactured by Dräger. This reliable full-face mask features low exhalation resistance, provides excellent peripheral vision and is self-defogging. The elastic head harness is easy to put on in an emergency and holds the mask securely in place, even under strenuous conditions. The mask can be worn together with ear protectors and helmets.



Dräger Saver PP – soft bag



Dräger Saver PP – hard case

DRÄGER SAVER PP – IN AN EMERGENCY, IT IS YOUR ESCAPE



INTEGRATED HOSE FOR CONNECTION TO EXTERNAL AIR SUPPLIES

The new Dräger PP now features an integrated air hose for connection to external mid-pressure air supplies, commonly found in muster stations and in emergency assembly areas. This feature provides the user with potentially life-saving protection in prolonged escape situations. Hose attachment and detachment are quick, safe and easy.

LOW-MAINTENANCE, LOW COST PROTECTION

Unless otherwise specified by local regulations, the Dräger Saver PP should require little to no service or maintenance for the first 10 years. A transparent window on both the soft bag and hard case lets you check the cylinder pressure gauge easily without unpacking the unit. Checks should be performed at regular intervals. You can then rely on the Dräger Saver PP to be there for you when you need it.

CONFORMS TO RELEVANT STANDARDS AND NORMS

The Dräger Saver PP complies with EN402 (2003), Lloyd's Register Certificate of Fire Approval and Lloyd's Register Certificate of Type Approval. It also complies with SOLAS Chapter II-2, the Marine Equipment Directive and the Pressure Equipment Directive. Anti-static versions are also suitable for use in explosive atmospheres (ATEX zone 0).



Dräger Saver PP hard case

Safely escape to a muster area



Dräger Saver PP soft bag

TECHNICAL DATA

Dräger Saver PP		
Size (H x L x D)	510 x 260 x 190 mm	
Cylinder charging pressure	200 bar	
LDV output flow L/min	500 L/min	
Operating temperature range	-15 °C to +60 °C	
Approvals	EN402 (2003), ISO 23269-1:2008, SOLAS Chapter II-2, the Marine Equipment Directive and the Pressure Equipment Directive. The Dräger Saver PP anti-static is suitable for use in explosive atmospheres (ATEX zone 0).	
	PP10	PP15
Weight (Kg) including cylinder		
Hard case	6.6 kg	7.6 kg
Soft bag	4.9 kg	5.9 kg
Cylinder	2L 200 bar	3L 200 bar

ORDER INFORMATION

Dräger Saver PP – Soft bag versions

Saver PP10	3359746
Saver PP15	3359747
Saver PP10 Anti-static	3359748
Saver PP15 Anti-static	3359749
Saver PP10 plus secondary supply	3359754
Saver PP15 plus secondary supply	3359755
Saver PP10 plus secondary supply Anti-static	3359756
Saver PP15 plus secondary supply Anti-static	3359757

Dräger Saver PP – Hard case versions

Saver PP10	3359751
Saver PP15	3359752
Saver PP10 plus secondary supply	3359759
Saver PP15 plus secondary supply	3359760

Accessories

Anti-static bag for Saver PP15	3360343
Anti-static bag for Saver PP10	3360342
Saver waistbelt	3350396
Security tab	3350388
Wall mounting kit for cabinet	3350431
Storage cabinet	3350424
EEBA Cabinet	3351823

Safety Wash

– 1 liter dispenser	3380164
– 1 liter refill	3380165
– 5 liter dispenser	3380166
– 5 liter refill	3380167