



NT 35/1 Tact

The NT 35/1 Tact is a handy and strong wet/dry vacuum cleaner for commercial applications. It is equipped with the innovative and patented Tact system for fully automated filter cleaning. The NT 35/1 Tact is fully equipped with accessory that can easily be retained in the integrated accessory storage.

1 Tact system (Tact Automatic Filter Cleaning System)

■ The filter automatically cleans itself with targeted, powerful blasts of air. The procedure is triggered automatically whilst maintaining constant high suction power. Further benefits: low maintenance costs, long filter service life.

2 On-board storage

The large on-board storage space on the casing head ensures that tools and accessories are always stored and close to hand.

TECHNICAL DATA AND EQUIPMENT





NT 35/1 Tact

- Tact automatic filter cleaning system
- Accessory/suction hose storage
 On-board storage on the casing head

Technical data		
Order no.		1.184-850.0
EAN code		4039784722675
Current type	V / Hz	220 - 240 / 50 - 60
Air flow	I/s	74
Vacuum	mbar / kPa	254 / 25.4
Container capacity	I	35
Container material		Plastic
Rated input power	W	1380
Standard nominal width		DN 35
Sound pressure level	dB(A)	69
Number of motors		1
Weight	kg	11.5
Dimensions (L × W × H)	mm	520 × 380 × 580

Equipment		
Suction hose	m	2.5 / with bend
Suction tube	piece(s) × m	2 × 0.5 / Stainless steel
Filter bag	piece(s)	1 / Fleece
Wet/dry floor nozzle	mm	300
Crevice nozzle		
Automatic cut-out features at max. filling quality		•
Eco filter system		
Flat pleated filter		Paper
Filter cleaning		Tact Filter Clean
Protection class		
Stop swivel castor		
Included in the scope of supply.		



























		1	1	1	1	1	1		_
									ı
									ı
									ı
		Order no.	Quantity	ID	Length	Width	Price	Description	ı
Flat pleated filter, paper							<u> </u>	-	
Dry flat pleated filter	1	6.904-367.0	1 piece(s)				1	Dry flat pleated filter made from cellulose fibre material	
bry flat pleated filter	1	0.304 307.0	1 piece(s)					with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	
Bend, plastic		l						Codise untifoli dost classes L aliu M.	
Plastic bend	2	5.031-718.0	1 piece(s)	35				Plastic bend (DN 35) with C-35 clip system. For all industrial	
	_							single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	
Bend, plastic, electrically conductive	3	5.031-939.0	1 piece(s)	35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611	
								Eco models.	
	4	5.032-427.0	1 piece(s)	40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	
Plastic bend	5	5.031-904.0	1 piece(s)	40				Plastic bend (DN 40) with C-40 clip system, suitable for all	
C								NT models.	_
Crevice nozzles	۱ ،	6.900-385.0	1 = 1 = 2 = 2 = 2	35	1 210	1	1	Diagtic evaluate tool /DN 25\ for uncurring in evaluation and	
Crevice nozzle	6	6.900-385.0	1 piece(s)	35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	
	7	6.900-922.0	1 piece(s)	35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and	
		6 000 000 0	4 = :===(=)	40	200			corners. Length: 370 mm.	_
	8	6.903-033.0	1 piece(s)	40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	
	9	6.905-817.0	1 piece(s)	40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and	
								corners. Length: 400 mm.	
	10	6.906-240.0	1 piece(s)	35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and	
Suction tubes, stainless steel								corners. Length: 250 mm.	
Suction tube	11	6.902-154.0	1 piece(s)	35	0.5 m			0.5 m long stainless steel suction tube (ID 35) for wet and	
								dry vacuum cleaners. Ideal for frequent wet vacuuming	
	- 10	5 000 004 0	4 . ()	10	0.5			applications and for vacuuming corrosive components.	
	12	6.902-081.0	1 piece(s)	40	0.5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	
	13	6.906-531.0	1 piece(s)	40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for	
								NT vacuum cleaners.	
Nozzle kits			1		_				
Nozzle kit	14	2.860-116.0	1 piece(s)	DN 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	
Flat pleated filter HEPA, dust class	Н				_				
HEPA flat pleated filter	15	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass-fi- bre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	
Flat pleated filter, PES	-				1		·	The state of the s	
Flat pleated filter, PES	16	6.904-360.0	1 piece(s)					Flat pleated filter (PES) - BIA-C dust class M: rotproof poly-	
								ester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	
Flat pleated filter, PTFE									
Ultimate flat pleated filter	17	6.907-455.0	1 piece(s)					Ultimate flat pleated filter made from PES/PTFE fibre mate-	
								rial with a black label. For the toughest applications when	
								vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	ı
Coarse dirt filter for wet vacuumin	g		1			-		Too m and E.	
Coarse dirt filter	ĭ	6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal	
								suitable for wet pick up - NT 611 Eco K & KF models.	



























					1		I		_
		Order no.	Quantity	ID	Length	Width	Price	Description	
Wet filter bag						l			
Wet filter bag	19	6.904-171.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	
Paper filter bags									
Paper filter bags	20	6.904-259.0	5 piece(s)					5 paper filter bags (BIA-C dust class M) with reinforced outer ply (e.g. cement dust). For all NT 361 Eco models (except Eco H).	
Plastic sacks for dust-free disposal									
Plastic sacks for dust-free disposal	21	6.596-886.0	10 piece(s)					PE plastic sack.	
Fabric filter									
Membrane filter	22	6.904-212.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.	- 1
Fleece filter bags									
Fleece filter bags	23	6.907-479.0	5 piece(s)					Fleece filter bag, tear-resistant, dust class M.	
Adv fleece filter bags	24	6.904-351.0	5 piece(s)					3-ply tear-resistant fleece filter bags (dust class M). For dry pick up, suitable for the following models: NT 361 Eco, Eco TE, TE-A and NT 361 Eco M, NT 35/1 Eco, Eco Te, Eco M. Contents: x5	
Bends, stainless steel					ı	ı	ı		
Bend, stainless steel, ID 35		6.903-141.0	1 piece(s)	35				Stainless steel and crooked, ID 35	
Bend, stainless steel, ID 40	26	6.902-079.0	1 piece(s)	40				Stainless steel and crooked, ID 40	
Bends, metal	27	L C 000 F 10 0	1 ninen(a)	125	1	ı		Debugt abromium plated metal hand (DN 25) can be used	
Bend, metal	27	6.900-519.0	1 piece(s)	35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0, C 35-DN 35, plastic, el.).	
	28	6.900-276.0	1 piece(s)	40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0, C 40-DN 40, plastic, el.).	
Floor nozzles						l		111.0, C 40 BN 40, plastic, ci./.	H
Wet and dry floor nozzle	29	6.906-512.0	1 piece(s)	35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6,903-278.0) and squeegees (6,903-277.0). Only for NT vacuum cleaners.	
Multi-purpose nozzle, wet/dry	30	6.903-018.0	1 piece(s)	40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for	
	31	6.906-383.0	1 piece(s)	40		450 mm		NT vacuum cleaners. All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0).	
	32	6.906-384.0	1 piece(s)	35		370 mm		Only for NT vacuum cleaners. All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0).	
Wet/Dry floor nozzle standard	33	2.889-173.0	1 piece(s)	35		300 mm		Only for NT vacuum cleaners. 300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	
Wet/Dry floor nozzle standard DN40	34	2.889-174.0						Standard floor nozzle, anthracite, in nominal diameter 40, with brush strips and squeegees. Suitable for all wet and drapplications.	<i>y</i> [

[■] Included in the scope of supply.

Available accessories.



























		Order no.	Quantity	ID	Length	Width	Price	Description	
DN 40 wet/dry floor nozzle	35	6.907-408.0	1 piece(s)	40		360 mm		Multi-purpose nozzle (ID 40), plastic, 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	
Rubber suction tools, nose 45°								340cc5cc3 (0.505 077.0).	+
Rubber suction tool, nose 45°	36	6.902-104.0	1 piece(s)	35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
	37	6.902-105.0	1 piece(s)	40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	; 0
Combi-nozzles, dry			<u>'</u>		<u>'</u>				
Combi-nozzle, dry	38	6.906-511.0	1 piece(s)	35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	
Pipe dusting nozzles									
Pipe brush 35/100	39	6.903-035.0	1 piece(s)	35				Plastic, pipe diameter 100 mm	
Pipe brush 35/200	40	6.903-036.0	1 piece(s)	35				Plastic, pipe diameter 200 mm	
Suction brushes									
Suction brush	41	6.903-862.0	1 piece(s)	35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum clean ers.	- 0
Turbo nozzles								ers.	
Turbo upholstery nozzle	42	2.860-113.0	1 piece(s)	32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	
Turbo floor nozzle	43	2.860-114.0	1 piece(s)	32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	
Suction tubes, plastic									
Suction tube	44	6.900-384.0	1 piece(s)	35	0.5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	
Suction tubes, metal	1	1		1					
Suction tube	45	6.900-275.0	1 piece(s)	40	0.55 m			The suction tube (NW 40, 1 x 0.55 m) made from chrome-plated metal is standard in almost all commercial vacuum cleaners with twin motor. Optional for commercial single motor NT vacuum cleaner with suction hose NW 40.	
Suction tube set, chrome-plated, NW 35 550 mm	46	2.889-191.0	1 piece(s)	35	550 mm			Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	
Other									
Drilling dust nozzle	47	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	
CS 40 Me	48	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	

[■] Included in the scope of supply.

Available accessories.































								Т
		Order no.	Anzahl	Nennweite	Länge	Price	Description	
Complete suction hoses (clip syster	n)	'		'				Ť
Suction hose	1	4.440-626.0	1 piece(s)	35	2.5 m		With bend, C ID 35.	
Suction hose, electrically conductive	2	4.440-653.0	1 piece(s)	35	2.5 m		With bend, electrically conductive, C ID 35.	
Suction hose	3	2.889-161.0	1 piece(s)	35	2 m		2 m long suction hose with new clip fastening, DN 35. Idea for Kärcher dry vacuum cleaners. Robust, flexible and dura ble.	
Repair kits		-	_	-			5.6.	Ė
Repair kit, C 35	4	2.639-682.0	1 piece(s)	35			Suction hose repair kit (clip system).	1
Suction hoses (clip system)					•	•		
Suction hose	5	6.906-241.0	1 piece(s)	35	4 m		With bayonet and clip connection.	
	6	6.906-275.0	1 piece(s)	35	2.5 m		With bayonet and clip connection, electrically conductive,	
	7	6.906-500.0	1 piece(s)	35	4 m		C-35.	
	8	6.906-321.0	1 piece(s)	40	4 m		With bayonet and clip connection, C 40.	
	9	6.906-714.0	1 piece(s)	40	4 m		With bayonet and clip connection, oil-resistant, C-45.	
	10	6.906-546.0	1 piece(s)	40	4 m		With bayonet and clip connection, electrically conductive, (40.	_ [
	11	6.906-877.0	1 piece(s)	40	10 m		With bayonet and clip connection, electrically conductive, C-40.	[
Suction hose (clip system), C 35, 10 m	12	6.906-242.0	1 piece(s)	35	10 m		With bayonet and clip connection.	1
Suction hoses complete								
Suction hose, complete	13	4.440-461.0	1 piece(s)	27	7 m		Plastic, with connection bushing for power tools.	[
Connecting sleeves								
Adapter, ID 32/35, with internal thread	14	6.902-077.0	1 piece(s)	32			For connecting two suction hoses (not ESB 28 and 34).	ı
Connecting adapter, ID 40, with internal thread	15	6.900-286.0	1 piece(s)	40			For connecting two suction hoses, threaded at both ends.	
Connecting sleeve, ID 61, with female thread	16	6.902-078.0	1 piece(s)	61				[
Extension hoses (clip system)								
Extension hose	17	6.906-237.0	1 piece(s)	32	2.5 m		For all C-32 and C-35 hoses.	
■ Included in the scope of supp	lv/	□ Available ac	raccariac					

 $[\]blacksquare$ Included in the scope of supply. $\hfill\Box$ Available accessories.



























Y-adapter kit Connection adapter C ID (clip to cone		Order no.	Anzahi				
Y-adapter kit Connection adapter C ID (clip to cone		Order no.	Anzahl				
Connection adapter C ID (clip to cone		Order no.	Alizalli	Nennweite	Price	Description	
Y-adapter kit Connection adapter C ID (clip to cone) Connection adapter C DN 35				Neililweite	FIICE	Description	1
Connection adapter C ID (clip to cone		2.637-217.0	1 piece(s)	35		Distributor, plastic.	1
	ale (c			1 33		Distributor, plastic.	+
	2	1	1 piece(s)	35		C 35 hose connection for ID 35 accessories, electrically conductive.	
Connection adapter C DN 40	3	5.407-109.0	1 piece(s)	40		C 40 hose connection for ID 35 accessories, electrically conductive.	
	4	5.407-111.0	1 piece(s)	40		C 40 hose connection for ID 40 accessories, electrically conductive.	
Connection adapter for power tools,	clip-	on, electrically c	onductive				Ļ
Connection adapter for power tools, C 35, electrically conductive	5	5.453-048.0	1 piece(s)	35		Inside Ø 25.4 mm, outside Ø 34.6 mm / 38 mm, electrically conductive.	[
Connection Adaptor for power tools, C 35, electrically conductive	6	5.453-049.0	1 piece(s)	35		Inside Ø 28.6 mm, outside Ø 37.3 mm / 38.8 mm, electricall conductive. Only wet and dry suction adapter.	У
Connection adapter for power tools, C 35, electrically conductive	7	5.453-050.0	1 piece(s)	35		Inside Ø 27 mm, outside Ø 36.5 mm / 38.8 mm, electrically conductive.	ı
Connection Adaptor for power	8	5.453-051.0	1 piece(s)	35		Inside Ø 32 mm, outside Ø 39 mm, electrically conductive.	
tools, C 35, electrically conductive	9	5.453-052.0	1 piece(s)	35		Inside Ø 28 mm, outside Ø 34 mm / 38.8 mm, electrically conductive.	
Adapter for electric power tools, scre	ewab	le					
Adapter for electric power tools,	10	5.453-016.0	1 piece(s)	35		Plastic, adjustable from ID 26-36.	
screwable, ID 35	11	5.453-026.0	1 piece(s)	35		Inside Ø 28.6 mm, outside Ø 37.3 mm / 38.8 mm.	
	12	6.902-059.0	1 piece(s)	35		Inside Ø 32 mm, outside Ø 39 mm.	1
	13	6.902-095.0	1 piece(s)	35		Inside Ø 28 mm, outside Ø 34 / 38.8 mm, electrically conductive.	[
Expansion pieces (tube -> nozzle)							
Adapter ID 35 - 40 (tube -> noz- zle)	14	6.902-084.0	1 piece(s)	35		From ID 35 to ID 40, plastic.	[
Reducing sleeves							
Reducer	15	5.407-108.0	1 piece(s)	40		From C 40 hose with outer thread 35 for connection bushing, screwable, ID 35.	[
Reducers (tube -> nozzle)							
Reducer	16	6.902-017.0	1 piece(s)	40		From ID 40 to ID 35, plastic.	
Reducer from ID 35 to ID 32	17	6.902-072.0	1 piece(s)	35		From ID 35 to ID 32, metal.	T
Reduction/expansion adapter kit							
Set of reducers / adapter sleeves	18	2.860-117.0	1 piece(s)			ID 40/35, ID 35/32 (tube -> nozzle), plastic.	

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.















		Order no.	ID		Price	Description	
Target-group-specific accessory kit	s for v	acuum cleaners					
Universal trade and industrial set	1	2.637-595.0	DN 35			Universal kit for industrial and commercial use.	
Heating boiler cleaning kit	2	2.638-852.0	DN 35			Heating boiler cleaning kit.	
Construction kit	3	2.637-352.0	DN 40			Construction kit.	
Professional cleaning kit	4	2.637-353.0	DN 40			Professional cleaning kit.	
Horse kit, electrically conductive	5	2.637-248.0	DN 40			Horse kit, electrically conductive.	
Wet and dry vacuuming kit, ID 40, electrically conductive	6	2.638-147.0	DN 40			Wet and dry vacuuming kit, electrically conductive.	

[■] Included in the scope of supply.

Available accessories.





		Order no.	Length	Colour	Quanti- ty	Price	Description
Miscellaneous							
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.

 $[\]blacksquare$ Included in the scope of supply. $\hfill\Box$ Available accessories.

Contact: +971507924960

Email: sales@industrytechstore.com Website: www.lndustrytechstore.com



NT 35/1 Tact, 1.184-850.0, 2021-01-19