www.Industrytechstore.com

Installation equipment

Ex i terminal box



8146/2061 Art. No. 278807



- Wide range of Ex i terminal boxes in various sizes and materials
- Degree of protection IP66
- Customised equipping in accordance with customer specifications
- · Enclosures with captive cover screws
- If required, flange on enclosure sides is possible

MY R. STAHL 8146T



R. STAHL Series 8146 terminal boxes, made of high-quality, glass fiber-reinforced polyester resin, are ideal for use in harsh operating conditions. With eight basic sizes in various heights, they are universally usable. If requested by the customer, they are equipped with series terminals up to 300 mm² and, as an option, a flange on several enclosure sides is possible.

Technical Data

Explosion Protection	
Scope of validity	NEC
	CEC
Application range (Zones)	1
	2
	21
	22
Certification NEC	E177642
Certification CEC	E177642
Marking cUL	Class I, Zone 1 IIC T6
	Class I, Div. 1, 2, Groups A,B,C,D
	Class II, Div. 1, 2, Groups E,F,G
	Class III
	Enclosure Type 3, 4, 4X
Certificates	ATEX (PTB), IECEx (PTB), India (PESO), Korea (KGS), Taiwan (ITRI)
Electrical Data	
Rated operational voltage AC	0 60 V
Ambient Conditions	
Ambient temperature °C	-50 °C +75 °C
Ambient temperature °F	-58°F +167°F
Mechanical Data	
Degree of protection IP (IEC 60529)	IP66
Degree of protection (IP) UL	IP66
Enclosure material	Polyester resin, Glass fibre reinforced
Enclosure color	Dark grey
Flammability according to	IEC/EN 60695
	UL 94
	ASTM D635
Silicone-free	No
Connection cross-section	2.5 mm ²

www.Industrytechstore.com

Installation equipment

Ex i terminal box



8146/2061 Art. No. 278807


Mechanical Data	
Connection cross-section AWG	AWG14
Cover thickness	2.8 mm
Cover thickness inch	0.11 in
Wall thickness	2.8 mm
Wall thickness, inches	0.11 in
Width	227 mm
Width, inches	8.937 in
Height	170 mm
Height, inches	6.692 in
Depth	91 mm
Depth, inches	3.583 in
Weight	8 kg
Weight	17.64 lb
Mounting / Installation	
Tightening torque of cover screw 1	4.5 Nm
Tightening torque of cover screw 1 lbf in	39.83 lbf in
Components	
Flange and plates	Without flange
Entries installation options/side	Without drilled holes
Terminal rail	35 x 189 mm (1x)
Terminal rail	1.38 x 7.44" (1x)
Type of terminals 1	1 x Phoenix UT 2-conductor, 2.5 mm², blue
PA terminal	1 x Phoenix UT 2.5 mm² grey

Technical Drawings - Subject to Alterations





Dimensional Drawings (All Dimensions in mm [inches]) - Subject to Alterations



8146/.061

We reserve the right to make alterations to the technical data, dimensions, weights, designs and products available without notice. The illustrations cannot be considered binding.

Contact: +971507924960

Email: sales@industrytechstore.com Website: www.lndustrytechstore.com

