



KM 75/40 W BP PACK

Battery powered KM 75/40 W Bp Pack push vacuum sweeper with convenient traction drive, batteries included as standard and electronically controlled built-in charger.



Order no. 1.049-207.0

- Waste container with trolley handle
- Roller brush replacement without tools
- Effective filter cleaning system with filter replacement on the clean side without tools

Technical data		
EAN code		4039784468412
Drive type		Electric
Drive		DC motor
Drive- performance	V / W	24 / 400
Max. area performance	m²/h	3375
Working width	mm	550
Working width with 1 side brush	mm	750
Waste container	l	40
Climbing ability	%	12
Working speed	km/h	4.5
Filter areas	m²	1.8
Battery runtime	h	max. 2.5
Weight (with accessories)	kg	125
Weight, ready to uset	kg	125
Weight incl. packaging	kg	134.7
Dimensions (L × W × H)	mm	1430 × 750 × 1190

Equipment	
Polyester flat pleated filter	■
Filter cleaning manual	■
Forwards traction drive	■
Main sweeper roller adjustable	■
Waste container, mobile	■
Coarse dirt flap	■
Battery and built-in charger included	■
Foldable push handle	■
Overhead sweeping principle	■
Suction	■
Outdoor use	■
Indoor use	■
Battery indicator	■
Suction volume regulation	■
Side brush, can be lifted/adjusted	■

■ Included in the scope of supply.

Users must receive training on this device.



Waste container with trolley handle

- Waste container with recessed grips – easy to remove and empty.
- Short disposal times.



EASY Operation operating concept

- Simple, convenient operation thanks to the logical arrangement of all control elements.
- Standard symbols for all Kärcher sweepers.

Efficient filter system with mechanical filter cleaning

- 1.8 m² filter area for long operating periods.
- Long-lasting thanks to washable polyester material.
- Mechanical filter cleaning system with ergonomic handle.

ACCESSORIES FOR KM 75/40 W BP PACK 1.049-207.0



		Order no.	Description	
TRACTION BATTERIES				
Battery	1	6.654-226.0	2 required.	■
CHARGERS				
Charger	2	6.654-225.0	For charging battery 6.654-226.0.	■
FILTERS				
Flat pleated filter				
Flat pleated filter	3	5.731-635.0	Moisture-proof, washable flat pleated filter for Kärcher sweepers. Filter noticeably reduces maintenance costs.	■
Filter conversion kit				
Double filter shaker	4	2.851-040.0	The dual filter scraper increases cleaning performance in areas subject to high dust levels.	□
MAIN SWEEPER ROLLER				
Standard roller brush				
Standard roller brush	5	6.906-884.0	Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	■
Main sweeper roller, soft				
Main sweeper roller soft / natural	6	6.906-886.0	Specially designed with natural bristles for sweeping fine dust on smooth floors indoors	□
Main sweeper roller, hard				
Main sweeper roller, hard	7	6.906-885.0	Hard main roller brush for removing stubborn, adhering dirt outdoors.	□
Main sweeper roller, antistatic				
Main sweeper roller, antistatic	8	6.906-950.0	For sweeping surfaces subject to static build up (e.g. carpets, artificial turf)	□
SIDE BRUSHES				
Standard side brushes				
Standard side brushes	9	6.906-132.0	Moisture-proof universal bristles, longlife, suitable for all surfaces	■
Side brush, hard				
Side broom hard	10	6.905-625.0	Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	□
Side brush, soft				
Side broom soft	11	6.905-626.0	Moisture-proof, soft side brush for sweeping fine dust on all surfaces indoors and outdoors. Ideal for dirt with a high dust content.	□
KITS				
Fleet mounting kit				
Attachment kit Plug-in Connect Module	12	2.644-391.0	The IoT module* is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment management system.	□
MOUNTING KITS FOR SWEEPERS AND VACUUM SWEEPERS				
Sweeping/Vacuuming				
Carpet sweeping kit	13	2.641-571.0	Carpet sweeping kit including fluff filter, triple steering roller and antistatic roller brush for cleaning carpet surfaces.	□

■ Included in the scope of supply. □ Available accessories.