Product datasheet

Specifications



adjustable time delay relay for MN voltage release, 200/250 VDC, 200/250 VAC 50/60 Hz

33682

Main

Device short name	MN delay unit Time delay relay Control	
Product or component type		
Device application		
Range compatibility	Masterpact MasterPact NT Masterpact MasterPact NW ComPact ComPact NS630b1600 ComPact ComPact NS1600b3200 PowerPact PowerPact Multistandard ComPact ComPact NSXm ComPact ComPact NSX DC Masterpact MasterPact NW UL 489 Masterpact MasterPact NW DC	
Voltage release type	Undervoltage release	
[Uc] control circuit voltage	200250 V AC 50/60 Hz 200250 V DC	

Complementary

Impulse duration	200 ms
Time delay range	0.53 s
Threshold tripping voltage	0.350.7 Un open 0.85 Un close
Supply holding power	4.5 VA
Supply inrush power	200 VA
Mounting mode	External mounting
Response time	0.5 s 1 s 1.5 s 3 s
Accessory / separate part category	Spare part for Compact NS630b1600 Spare part for Compact NS1600b3200

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.000 cm
Package 1 Width	8.000 cm
Package 1 Length	9.000 cm

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Package 1 Weight	164.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	36
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	6.300 kg

Contractual warranty

Warranty 18 months





Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

⊘ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	4
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
SCIP Number	6d7ed1bf-0416-4b0a-870a-811eb3730f6d
China RoHS Regulation	China RoHS declaration
PVC free	Yes

Use Again

End of Life Information
The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Product contains halogen above thresholds
No

Contact: +971507924960 Email: sales@industrytechstore.com

Website: www.industrytechstore.com

